

## 2024년 6월 공공하수처리시설 하수처리현황

### □ 수처리 현황

구분	용량	유입수							방류수							비고
		pH	BOD	TOC	SS	T-N	T-P	대장균	pH	BOD	TOC	SS	T-N	T-P	대장균	
법정수질	500이상									10.0	25(15)	10.0	20.0	0.5(0.3)		
	500~50									10.0	25.0	10.0	20.0	2.0		
	50이하									10.0	25.0	10.0	40.0	4.0		
합천	5,000	7.1	110.2	153.0	156.6	48.520	4.139	955,067	6.8	1.1	3.8	1.0	5.488	0.051	-	
초계·적중	1,400	7.2	146.5	98.5	149.5	35.511	3.034	1,096,700	6.8	1.1	3.4	1.1	4.302	0.046	38	
가야·야로	2,000	7.2	86.8	81.9	91.7	29.852	2.636	179,233	6.9	1.5	2.5	1.0	4.648	0.054	5	
삼가	900	7.8	106.2	108.5	112.4	45.376	3.959	419,000	7.6	1.1	4.2	0.7	3.903	0.063	47	
가호	660	7.3	111.8	116.2	91.5	33.058	2.816	1,137,633	7.0	1.1	3.9	1.0	5.640	0.050	-	
용주	50	7.3	57.5	90.2	98.0	36.203	3.413	648,250	7.0	1.9	4.9	2.2	10.979	0.903	-	
봉계	68	7.2	92.2	119.2	88.5	37.103	4.031	522,500	6.8	2.9	5.7	7.7	11.462	0.894	131	
두심	70	7.3	105.2	124.5	81.0	24.060	2.462	537,250	7.0	0.5	7.0	2.5	5.765	0.392	57	
구평	46	7.9	68.0	71.2	47.0	27.225	2.499	300,250	7.2	3.9	3.8	2.6	6.816	0.665	99	
봉산	150	7.2	162.0	123.9	86.5	45.308	4.335	539,250	6.8	2.6	3.9	3.0	8.075	0.853	152	
묘산	120	7.2	178.4	125.3	131.5	44.468	3.464	1,560,000	6.8	7.4	7.3	5.3	7.929	0.560	93	
대병	170	7.3	106.8	123.7	116.0	37.920	2.864	281,000	7.0	3.3	4.1	2.4	5.439	0.426	77	
회양	150	7.3	212.9	71.4	112.5	34.770	2.693	323,750	7.0	1.5	3.1	0.6	11.568	0.962	-	
해인사	300	7.3	104.5	71.6	106.5	26.558	2.652	1,006,250	6.9	6.4	7.4	5.9	9.869	0.971	199	
마장	50	7.2	98.3	68.7	105.5	30.833	2.492	1,130,000	6.7	7.3	5.6	5.0	9.312	0.734	102	
권빈	70	7.2	210.7	169.8	101.5	32.288	3.422	782,500	6.8	1.8	3.8	0.7	3.875	0.624	56	
가회	120	8.0	113.9	102.4	74.5	36.105	3.819	345,750	7.8	1.7	2.6	2.8	6.014	0.766	48	
쌍백	200	7.8	102.5	85.0	75.5	44.063	3.666	444,250	7.7	2.3	3.4	1.7	7.317	0.777	136	
계산	50	7.2	70.8	98.4	46.5	33.495	3.381	390,500	6.8	4.2	3.6	1.7	12.324	0.810	166	
유전	85	7.3	102.9	77.6	155.0	26.955	2.472	537,500	7.0	5.5	4.3	2.6	4.523	0.667	116	
청덕	115	7.2	146.3	106.0	160.5	42.473	4.011	2,075,000	6.9	4.9	3.4	1.7	10.322	0.411	-	
쌍책	165	7.2	179.3	109.9	106.0	43.410	3.303	2,085,000	6.8	3.0	3.4	2.3	6.327	0.321	231	
대양	180	7.2	125.5	89.9	107.0	50.730	4.363	645,000	6.7	2.5	8.3	3.8	13.685	1.130	53	
덕곡	75	7.2	179.0	102.6	120.5	54.090	4.179	1,197,500	6.9	5.3	4.7	4.3	7.514	0.342	310	
매안	110	7.1	246.9	136.0	171.5	39.623	3.903	1,787,500	6.7	3.3	4.8	3.7	5.862	0.507	394	
울곡	250	7.2	179.4	77.4	89.5	38.745	4.487	1,717,500	6.9	4.5	5.5	4.7	3.755	1.033	50	